SOFT HABAGI / Skirting





Protects wall base from scratches and dirt



Key features

- Protects wall base from scratches and dirt
- Creates straight and neat lines between walls and floor
- Easy to cut with box cutter and attach with adhesive glue
- Soft resin material makes it easy to install along curves
- Does not turn white when bent
- Compact roll storage makes it easy to carry and stock





• Material : PVC

● Color : Black, Dark gray, Light gray, White

● **Length** : 30m(roll)

● **MOQ** : 1 roll




Purpose of HABAGI



To hide the gap between the wall and the floor

To prevent dirt from dust and water and scratches from cleaning tools






Installation







f 1Apply adhesive to the back of HABAGI, or the back of HABAGI and the wall with a spatula

Tip Use a comb-shaped spatula to apply the required amount evenly





FUKUVI

2 Adhere HABAGI to wall, aligning to the floor line





3Bond the entire surface with a roller

Tip The roller can be evenly pressed with a stable force, giving it beautiful finish







Scraping off the back of HABAGI makes it easier to bend



1. Fold HABAGI



2. Scraping off the back with a box cutter



Be careful not to scrape too much

3. Undo





4. Easy to bend











Gap is hard to appear



Scrape off the back





Scrape off the back








Cutting at a right angle (90 degrees) makes the gap less noticeable.



1. In case the edges are not 90°



2. Put HABAGI and ruler on a straight wall Cut along the ruler with a box cutter






3. Cut the other edge similarly





4. Become 90°







Make a right angle





Bending at corners



Does not turn white when bent





● Construction example <SOFT HABAGI>

■OFFICE (HO CHI MINH/VIETNAM)








■SHOP (HO CHI MINH/VIETNAM)





■OFFICE (HO CHI MINH/VIETNAM)





■ FACTORY OFFICE (DONG NAI/VIETNAM)





■OFFICE (TOKYO/JAPAN)

