TENKENKO-T / Inspection Opening Frame for ceilings




● Easy to open and close resin frame for ceilings Key features






Installation drawing



During inspection




- Material: PVC
- Color : White
- Size : 450×450mm
 - 600×600mm
- Attachable board thickness: 9.5×12.5 MM
- MOQ : 25pcs

9.5mm

12.5 mm

- Straight and clean frame
- Easy to install
- Light-weight lid is easy to open and close
- For paint finish or wallpaper finish
- Clean, neat appearance with either paint or wallpaper



Stop paint or wallpaper at the edge of the frame to create a neat, clean line

Difference from general product

FUKUVI

General Product



- 1. Dark line appears
- 2. Edges of the paint peel off easily
- 3. Heavy lid makes it difficult to push up
- 4. The heavy lid touches the hand strongly and easily gets dirty









Difference from general product

FUKUVI

FUKUVI - TENKENKO





- 1. Lines do not appear (there is <u>Straight and Clean frame</u>)
- 2. Edges of the paint are <u>hidden by the frame</u>, making it <u>difficult to peel off</u> and even if it peels off, it is inconspicuous.
- 3. Light lid (Single layer) makes it easy to push up
- 4. Less likely to get dirty (compared to heavy lid)


Other: If you forget to install it, you can easily install it later.

Installation

1Cut a hole in the ceiling




2Open the frame's cover



3 Attach the mounting base to one side of the frame






Attach the mounting base to one side of the frame with screws

Version: 20231225

SECTION FUKUVI

4) Put the mounting base on the board




Board

Secure it on the board with the mounting base and frame attached in ③

5 Secure to the frame with screws





the remaining 3 sides, Secure with screws install with screws

6 Close the cover and put the lid on





● Construction example **<**TENKENKO-T**>**











■OFFICE (HO CHI MINH/VIETNAM)







■OFFICE (HO CHI MINH/VIETNAM)









